

Certificate of Conformity

This certificate confirms that the company below complies with the following standard(s):

Company Name / Approved User	Delabie S.A.	WaterMark WM number:	GM-WM-020302-I03-R00		
Company Other Name	Enware Australia	Approved User Tel:	+33 3 22 60 22 70	Approved User web site	
Approved User ABN (if any)	FR 35 615 680 089	Client ID	101539		
JAS-ANZ Scheme	WaterMark Certification Scheme 2016				
Certification Standard (s)	AS/NZS 3718:2005 : Water supply - Tap ware				

CERTIFICATE DATES:

Initial Certification / Re Certification	4/08/2015	Certification Expiry	4/08/2025
Last Certification Decision (current certification)	18/11/2020		

APPROVED COMPANY/SITE ADDRESS(ES):

18, rue du Maréchal Foch Friville - 80130 France
9-11 Endeavour Road Caringbah NSW 2229 Australia

Subject to the following conditions and limitations:

- The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
- This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.
- The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au
- This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification. The certificate may only be reproduced in its entirety



Certification Manager



Global-Mark Pty Ltd, 407, 32 Delhi Road, North Ryde NSW 2113, Australia - Copyright 2005
 Tel: + 61 2 9886 0222 – www.Global-Mark.com.au



Model(s) on which the WaterMark logo may be applied by the certificate holder as a declaration of compliance by the certificate holder. In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. In issuing this Certificate, Global-Mark has relied on the expertise of external bodies (laboratories, and technical experts).

Model Identification	Model Name	Brand Name	Product Description/Attributes	Date Endorsed
712000	TFC712	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, NA , Inlet: G ½ ,Outlet: JET , Flow Control Type: PC	
714700AS	TFC714700	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: SPRAY HEAD , Flow Control Type: PC	
734100AS	TFC734	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: NA , Flow Control Type: NA	
735400AS	HFS780	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: AERATOR , Flow Control Type: AERATOR	
735400AS	TFC735	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: NA , Flow Control Type: NA	
740510AS	TFC740510	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: AERATOR , Flow Control Type: PC	
741510AS	TFC741510	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: AERATOR , Flow Control Type: PC	
745107AS	AF101	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: FLOW STRAIGHT , Flow Control Type: PC	
745107AS	TFC743P	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: FLOW STRAIGHT , Flow Control Type: PC	
745107AS	TFC745	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: FLOW STRAIGHT , Flow Control Type: PC	
745107AS	TFC745P	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: FLOW STRAIGHT , Flow Control Type: PC	
745107AS	TFC745PB	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: FLOW STRAIGHT , Flow Control Type: PC	
745107AS	TFC745PG	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: FLOW STRAIGHT , Flow Control Type: PC	
745440AS	TFC745L15	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: FLOW STRAIGHT , Flow Control Type: PC	
745447AS	TFC745L3	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: FLOW STRAIGHT , Flow Control Type: PC	
745447AS	TFC745L	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: FLOW STRAIGHT , Flow Control Type: PC	
746007AS	TFC746P	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: FLOW STRAIGHT , Flow Control Type: PC	
747000AS	AF499	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: NA , Flow Control Type: NA	
747000AS	TFC747	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: NA , Flow Control Type: NA	
747121AS	DET651	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: SHOWER ROSE , Flow Control Type: PC	
747121AS	DET686	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: SHOWER ROSE , Flow Control Type: PC	
747121AS	DET703	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: SHOWER ROSE , Flow Control Type: PC	
747121AS	DET603	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: SHOWER ROSE , Flow Control Type: PC	
748121AS	DET603RC	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: SHOWER ROSE , Flow Control Type: PC	
748121AS	DET603R	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: SHOWER ROSE , Flow Control Type: PC	
748121AS	DET688	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: SHOWER ROSE , Flow Control Type: PC	
749128AS	TFC749W	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: NA , Flow Control Type: PC	
790925AS	TFC790W	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: NA , Flow Control Type: PC	

Model Identification	Model Name	Brand Name	Product Description/Attributes	Date Endorsed
794100AS	TFC794100	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: FLOW STRAIGHTENER AERATOR , Flow Control Type: In built	
795100AS	TFC795	Delabie S.A.	DN12, Water Shut Off Design: TIMED FLOW, DR , Inlet: G ½ ,Outlet: AERATOR , Flow Control Type: AERATOR	

Comments, Conditions and Limitations:

Scope of use: refer to manufacturer's manual

End of the document



Certification Manager

